

# **Material Safety Data Sheet**

#### **SECTION I: Product and Company Identity:**

TRADE NAME:
MANUFACTURER'S NAME:
MANUFACTURER'S ADDRESS:

EMERGENCY PHONE: BUSINESS PHONE: REVIEW DATE: Stainless Anti-Seize O-Ring The Subsea Company 4527 Brittmoore Road Houston, Texas 77041 281-324-0558 Fax: 281-857-6379 281-324-0558 Fax: 281-857-6379 October 8, 2008

# **SECTION II: Composition/Information on Ingredients**

The criteria for listing components in the composition section are as follows: Carcinogens are listed when present at 0.1% or greater; components which are otherwise hazardous according to OSHA are listed when present at 1.0% or greater; nonhazardous components are not listed as being proprietary information. Refer to Section IX for regulatory information.

Components considered non-hazardous per U.S. Dept. of Labor (OSHA) Re: 29 CFR 1910.1200 Hazard Communication Standard

## SECTION III: Hazards Identification

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: Overexposure to this product may cause mild skin irritation, moderate eye irritation, and possible gastric distress if ingested. MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known or reported. CARCINOGENICITY: NTP? No IARC Monographs? No OSHA regulated? No In accordance with the current OSHA Hazard Communication Standard criteria, this product is not Known or reported to be carcinogenic by reference Sources including: IARC, NTP, and OSHA.

# **SECTION IV:** First Aid Measures

EYES: Flush eyes with plenty of water for several minutes. Get medical attention if eye irritation persists.

HAZARDOUS MATERIAL				
INFORMATION SYSTEM				
HEALTH (BLUE)			1	
FLAMMABILITY (RED)			1	
REACTIVITY (YELLOW)			0	
PROTECTIVE EQMT.			В	
(WHIT				
EYES	RESPIRATORY	HANDS	BODY	
Х		Х		
See Section 8				

SKIN: Remove any contaminated clothing and wash skin with plenty of soap and water for several minutes. Get medical attention if skin irritation develops or persists. If product is injected into or under

the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should be evaluated immediately by a physician as a surgical emergency. Even though initial symptoms from high pressure injection may be minimal or absent, early surgical treatment within the first few hours may significantly reduce the ultimate extent of injury.



INGESTION: If person is conscious and can swallow, give two glasses of water but do not induce vomiting. If vomiting occurs, give fluids again. Consult a physician if symptoms develop. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

INHALATION: If overcome from vapor, remove from exposure and call physician. If necessary, provide respiratory support.

# **SECTION V:** Fire Fighting Measures

Flash Point: >365 °F.(based on component information) Method: COC Flammable Limits: NDA Extinguishing Media: Carbon dioxide, dry chemical, alcohol foam, water spray.

Special Fire Fighting Procedures: Use water to cool containers exposed to fire. For fires in enclosed areas, firefighters should use self-contained breathing apparatus.

Unusual Fire and Explosion Hazards: Avoid fumes of burning product.

## **SECTION VI:** Accidental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Recover free product. Add sand, earth, or some other suitable absorbent. Keep product out of sewers and watercourses by diking or impounding. Advise authorities if product has entered sewers, water courses, or extensive land areas.

## **SECTION VII: Handling and Storage**

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in cool dry area in original or equivalent container in accordance with all applicable regulations. Do not apply high heat or flame to container.

OTHER PRECAUTIONS: Good personal hygiene practices should be followed.

#### **SECTION VIII: Exposure Controls/Personal Protection**

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation. Use a mechanical fan or vent area to outside if necessary. Provide ventilation sufficient to prevent exceeding recommended exposure limit or buildup of explosive concentrations of vapor in air.

**RESPIRATORY PROTECTION:** Respiratory protection is not expected to be needed. If respiratory protection is needed, use only protection authorized by applicable regulations

EYE PROTECTION: Safety goggles recommended

HAND PROTECTION: Wear rubber gloves for routine industrial use.

BODY PROTECTION: Use body protection as needed for task.

#### **SECTION IX:** Physical and Chemical Properties

Boiling Point:	NDA	Specific Gravity:	1.4406
Vapor Pressure:	NDA	Evaporation Rate:	NDA
Vapor Density:	NDA	Solubility in Water:	Negligible
Appearance and Odor:	Olive green paste with no odor.		

#### **SECTION X:** Stability and Reactivity

STABILITY:Unstable: NoStable: YesCONDITIONS TO AVOID/INCOMPATIBILITY:Oxidizing materials such as liquid chlorine,<br/>concentrated oxygen, etc.POLYMERIZATION:May occur: NoWill not occur:YesHAZARDOUS DECOMPOSITION OR BYPRODUCTS:carbon dioxide, fumes and<br/>smoke.

## SECTION XI: Toxicological Information: No data available.



**SECTION XII: Ecological Information:** No data available.

# SECTION XIII: Disposal Considerations

WASTE DISPOSAL METHODS: Dispose of waste according to all applicable regulations.

SECTION XIV: Transport Information: This material is not regulated as a DOT hazardous material.

#### **SECTION XV: Regulatory Information**

TOXIC SUBSTANCES CONTROL ACT (TSCA): All components are on the TSCA inventory or are not required to be listed on the TSCA inventory.

#### **SECTION XVI:** Other Information

Disclaimer: Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of this product for particular uses are beyond our control. Users should make their own investigation to determine the suitability of the information or products for their respective purposes.